

5 Maxwell Road # 02-01 Tower Block MND Complex Singapore (069110)

Telephone : 6325 2211 Facsimile : 6325 7150 Web Site : http://www.bca.gov.sg

Special Functions Division #06-00 DID : 6325 8920 Fax : 6325 7127 Email : tan_see_ting@bca.gov.sg

Our Ref: BCA BC CD2002

<u>6 Nov 2002</u>

See Distribution List

Dear Sirs

REVISED PROCEDURE ON THE PLAN SUBMISSION AND COMMISSIONING INSPECTION OF HOUSEHOLD/STOREY SHELTERS

As part of our continuous effort to improve customer service to building professionals, BCA has been holding regular feedback sessions with representatives of various building professional institutions. The current practice of shelter plan submission procedure is also reviewed and the following changes are made.

SUBMISSION OF SHELTER ARCHITECTURAL PLANS

2 Under the current practice, QPs shelter architectural works are required to submit two (2) sets of shelter architectural plans when applying for its acceptance. To be consistent with the practice adopted by the Building Plan & Management and BE Division, we have reviewed and decided that, with effect from 1st Dec 2002, QPs are required to submit only one set of shelter architectural plans for our vetting and acceptance. As shelter design information and data are captured in shelter database, the current practice of requiring QPs for shelter structural works to accompany a set of accepted shelter architectural plans when making shelter structural plan submissions shall be dispensed with. In view of this and also taking into account of request of waiver of relevant shelter technical requirements to be granted by SCDF, application forms for acceptance of shelter architectural plans are also updated and attached as shown in Annex A.

- a) Form SF HS/PF2: Application for Acceptance of Shelter Architectural Plans.
- b) Form SF HS/PF3: Application for Acceptance of Shelter Structural Plans.

3 The accepted shelter architectural plans could be collected by QPs after 2 weeks from the date of issuance of "Notice of Acceptance for Shelter Architectural Plans".

APPLICATION FOR SHELTER COMMISSIONING INSPECTIONS

- 4 Upon request by HDB, we have also reviewed the above application forms, especially on the QP's declaration that shelter works have been carried out in accordance with the accepted shelter plans and conditions under which the shelter plans were accepted. They are amended and attached as shown in Annex B. These amended forms should also be used when submitting application for first or project shelter commissioning inspections with effect from 1st Dec 2002.
 - a) Form SF HS/CF1: Application for Acceptance of First Shelter Commissioning.
 - b) Form SF HS/CF2: Application for Acceptance of Project Shelter Commissioning.

5 All the above application forms are also available in BCA's website <u>http://www.bca.gov.sg</u>.

GUIDELINES ON SAMPLING OF SHELTER FOR COMMISSIONING

6 There are no existing guidelines in selecting shelter samples from each project for commissioning inspections by project QP. Hence, sampling size would vary among QPs, site supervisors and builders. To promote consistent practice in the building industry, general guidelines are worked out for the information of QPs. They may consider incorporating these guidelines (refer to Annex C) and form part of the technical specification in the tender document when calling future contract of residential projects.

7 I would appreciate it very much if you could disseminate the above information to your members. If you need any clarification on the above, you can contact me at 63258920.

Yours faithfully,

TAN SEE TING MANAGER CIVIL DEFENCE SHELTER ENGINEERING DEPARTMENT for CHIEF EXECUTIVE OFFICER BUILDING AND CONSTRUCTION AUTHORITY

Distribution List:

President Singapore Institute of Architects 79, Neil Road Singapore 088904

President Institution of Engineers, Singapore 70 Bukit Tinggi Road, Singapore 289758

President, Singapore Contractors Assn Ltd 1 Bukit Merah Lane 2 Construction House Singapore 159760

СС

Mr Eugene Toh Deputy Director FSSB Civil Defence Complex 91 Ubi Ave 4 Singapore 408827 President, Association of Consulting Engineers Singapore 70 Palmer Road #04-06 Palmer House Singapore 079 427

President Real Estate Developer's Assn of Spore 190, Clemenceau Avenue #07-01 Singapore Shopping Centre Singapore 239924

ANNEX A

- a) Application for Acceptance of Shelter Architectural Plans
- b) Application for Acceptance of Shelter Structural Plans

Building and Construction 🤳

Authority

	APPLICATION FOR ACCEPTA	NCE OF HOUSEHOI	LD/STOREY SHEL	TER ARCHITECTURAL PLANS			
Buil 5 M Tow Sing	nmissioner of Building Control Iding and Construction Authority faxwell Road #02-01 ver Block, MND Complex gapore 069110 No: 63257150		2. * Delete where	ppropriate boxes not applicable. be filled in BLACK INK only.			
1	Project Reference No.: Project Title:		Plan Type: CD				
	*Lot / Plot: House No.: Building Name (if any):	Road:					
2	Usage Type Project T Residential H Mixed Development C	<u>Type</u> DB ondominium / Apartment rivate Landed pplicable) :	Application Typ First-time a Re-applica Direction o Amendme	<u>e</u>			
Nar	ne of Applicant		Address of Applicar	nt			
3	 a) I certify that the building works as shown in the plans have been designed in accordance with the shelter technical requirements, subject to such waiver granted by SCDF under the Civil Defence Shelter Act. b) I confirm that: Approval on waiver of relevant shelter technical requirements has been obtained from SCDF. Refer to letter dated Waiver of shelter technical requirements is not applicable. 						
4.	 A set of the following plans are attached: a) Site and Location Plans (1:1000). b) Architectural Layout Plans (1:100) with sections and elevations. c) Shelter Detailed Plans (1:50) showing routing and penetration of services, location of ventilation sleeve and blast door openings. 						
	ne & Signature of Qualified Person		Address of Qualified				
Tel	No. :	Fax No. :		Date :			

EXPLANATORY NOTES TO FORM SF_HS/PF2

Detailed Household/Storey Shelter Architectural Plans

To facilitate early acceptance of shelter architectural plans, registered architects are advised to submit the following relevant plans and details:

- (A) Location and Site Plans (1:1000)
- i) The location plan shall show the location of the development
- ii) In addition to the location of development site, the below shelter data are to be furnished. The sample is as shown below.

Data of Household / Storey Shelter									
Dwelling Unit Type	GFA of Unit (m ²)	No of HS / SS	Size of HS / SS (m ²)	Volume of HS/ SS (m ³)	Aboveground Shelter(AS) or Basement Shelter (BS)				
A1									
B1									

- (B) Architectural Layout Plans (1:100)
- i) Floor plan of HS, SS or/and Non-Shelter (NS).
- ii) Section and elevation of HS, SS or/and NS.
- iii) Storey height, internal clear height of shelter, thickness of shelter wall, thickness of shelter floor slab, ceiling slab and *intermediate floor slab, *RC down-hang beams, are to be clearly indicated.

* if applicable

- (C) <u>Shelter Detailed Plans (1:50)</u>
- i) Size and volume of each shelter type.
- ii) Location of the 2 ventilation openings and the position of the services (e.g. power points, radio/TV points) in the shelter.
- iii) Routing and penetration of services are to be clearly indicated.

Building and Construction Authority

AI	PPLICATION FOR	ACCEPTANCE OF HOUSEH	OLD/STOREY SHELTE	R STRUCTURAL PLANS			
Commissioner of Building Control Building and Construction Authority 5 Maxwell Road #02-01 Tower Block, MND Complex Singapore 069110 Fax No: 63257150			INSTRUCTIONS 4. Tick (✓) the appropriate boxes. 5. * Delete where not applicable. 6. This form is to be filled in BLACK INK only.				
				Shelter Category: *HS/SS			
House	e No.:	Road:		MK:			
	<u>e Type</u> Residential Mixed Development	Project Type HDB Condominium / Apartment Private Landed		y applicable after expiry of Written ce of Notice of Non-Acceptance)			
Name of A	Applicant		Address of Applicant				
su b) I c	subject to such waiver granted by SCDF under the Civil Defence Shelter Act.b) I confirm that only approved blast doors, fragmentation plates and ventilation sleeves will be installed.						
a) S	of the following plans is Structural Plans (1:25).						
	ignature of Qualified P		Address of Qualified Pers				
Tel No. :		Fax No. :	Date				

ANNEX B

- b) Application for Acceptance of First Shelter Commissioning
- b) Application for Acceptance of Project Shelter Commissioning

Building and Construction 🚽 APPLICATION FOR ACCEPTANCE OF COMMISSIONING OF THE FIRST HOUSEHOLD/STOREY SHELTER (only applicable for projects with more than 3 household/storey shelters) **INSTRUCTIONS** Commissioner of Building Control Building and Construction Authority 7. Tick (\checkmark) the appropriate boxes. 5 Maxwell Road #02-01 8. * Delete where not applicable. Tower Block, MND Complex 9. This form is to be filled in BLACK INK only. Singapore 069110 Fax No: 63257150 Project Reference No.: _____ Plan Type: CN _____ Shelter Category: *HS/SS Project Title: _ *TS / MK: *Lot / Plot: House No.: _____ Road: _____ Building Name (if any): _____ I hereby apply for the Acceptance of Commissioning of the First Shelter in the above mentioned project. Unit No. of First Shelter : _____ Proposed date of commissioning : I have inspected the completed shelter works and I am satisfied that these works have been carried out in accordance with the a. accepted shelter plans and the conditions under which the plans were accepted. This is my 1st commissioning request for the First Shelter. b. This is my $2^{nd}/3^{rd}$ commissioning request for the First Shelter. I declare that the rectification works of this shelter had been completed. I would like to be informed of the appointment by: c. Fax Post e-mail (Please indicate e-mail address) Name & Signature of Qualified Person Address of Qualified Person

1

2

Authority

Building and Construction

	APPLICATION FOR ACCEPTANCE OF COMMISSIONING OF PROJECT HOUSEHOLD/STOREY SHELTERS						
Bui 5 M Tov Sing	Commissioner of Building Control Building and Construction Authority 5 Maxwell Road #02-01 Tower Block, MND Complex Singapore 069110 Fax No: 63257150		INSTRUCTIONS 10. Tick (✓) the appropriate boxes. 11. * Delete where not applicable. 12. This form is to be filled in BLACK INK only.				
1	Project Reference No.: Project Description:						
	*Lot / Plot: House No.:	Road:		*TS / MK:			
2 Nar	Building Name (if any):						
Tel	No. :	Fax No. :		Date :			

GUIDELINES FOR SELECTION OF HOUSEHOLD SHELTER (HS) SAMPLES FOR PROJECT COMMISSIONING INSPECTION

Table 1 enumerates required sample size of HS to be selected in each project or each blockbasis request for commissioning inspection and over-pressure air-tightness tests.

Table 1

Number of HS in each Project or in each Block-Basis request of commissioning inspections	Number of HS samples Selected (#) for Project HS Commissioning
1-5	Actual no of shelters or up to a maximum of 2, whichever is smaller
6-20	3
21-100	5
> 100	5% of total units to be commissioned

#: Exclude first HS selected for commissioning inspection (first HS commissioning inspection is optional and only applicable for project with more than 3 HS).

The following shall also be adhered to during HS commissioning inspection:

(i) 1st Commissioning Inspection:

(a) More than ½ of HS samples failed the commissioning inspection:

It is deemed that HS in the entire project or in each block-basis have failed the commissioning inspection and 2nd commissioning inspection is required after completion of remedial works. At the 2nd commissioning inspection, number of shelters to be selected shall be in accordance with Table 1. Once all the shelter samples have passed the commissioning inspection, Notice of Acceptance for Commissioning of Project Household Shelter would be issued.

(b) <u>Less than or up to ½ of shelter samples</u> <u>failed commissioning inspection:</u>

It is deemed that shelters in the entire project or in each block-basis have partially passed the commissioning inspection. Hence, 2nd commissioning inspection is also required. At the 2nd commissioning inspection, only those shelters which failed the commissioning inspection during the 1st inspection plus an additional same number of shelters which failed the 1st inspection would be selected from outside the original sample group are to be commissioned.

(ii) 2nd Commissioning Inspection:

All the selected shelters should pass the commissioning inspection before Notice of Acceptance for Commissioning of Project Household Shelter is issued for the project or block-basis request. Otherwise, a 3rd commissioning inspection is still required. The criteria for selection of shelter samples shall follow item (i) (b) above. This will continue until all selected shelter samples have passed the commissioning inspection.

The number of HS to be re-checked on each HS commissioning inspection can be obtained from the table below:

No. of Shelters selected for commissioning	No. of HS failed	5	4	3	2	1	0
5		Retest 5	Retest 5	Retest 5	Retest 2+2	Retest 1+1	NOA
4			Retest 4	Retest 4	Retest 2+2	Retest 1+1	NOA
3				Retest 3	Retest 3	Retest 1+1	NOA
2					Retest 2	Retest 1	NOA
1						Retest 1	NOA

For Projects with 1-100 HS units

Legend: (i) "Retest 5" means five shelters to be re-commissioned and

those originally tested on previous inspections can be included.

 (ii) "Retest 2+2" means to re-commission the original 2 shelters that failed plus another 2 shelters from outside the original group tested on the previous inspection.

For Projects with >100 units

No. of Shelters selected for commissioning	No. of HS failed (x)	x∃2%	1%′x[2%	x[1%	0
5%		Retest 5%	Retest 2% + 2%	Retest 1% + 1%	NOA

- Legend: (i) "Retest 5%" means five percent of the project shelters to be re-commissioned and those originally tested on previous inspections can be included.
 - (ii) "Retest 2% + 2%" means to re-commission the original 2% shelters that failed plus another 2% shelters from outside the original group tested on the previous inspection.