

BCA UNIVERSAL DESIGN AWARDS FOR BUILT ENVIRONMENT 2011 CALL FOR NOMINATIONS

Introduction

Universal Design is to "design for everyone". It seeks to create a built environment that adequately addresses the usage needs of people in all age groups and abilities, including temporary disability. This move towards universal design has developed as our population with varying degrees of abilities and advancing years increase, and their demands for recognition and desire for independent living rise.

The **BCA Universal Design Awards** was launched to promote universal design in the built environment and raise awareness among owners, developers, designers and builders when they start project conceptualization and design, to incorporate features accommodating the widest possible range of human needs. The Awards accord recognition to organizations and individuals for their efforts in embracing Universal Design in their developments.

Entry criteria

The Competition is open to all owners, developers and professionals in creating an inclusive built- environment that could be used by all people. There is no restriction on the number of entries that each individual, firm or team can submit. The development must have obtained Temporary Occupation Permit/ Certificate of Statutory Completion and be occupied at the time of submission of entry to be deemed qualified for assessment. BCA reserves the right to disqualify any participating individual/ firm/ team.

Assessment criteria and scoring system

BCA Universal Design Awards evaluate a building for its features that benefit not only to special groups but everyone. Buildings are awarded the BCA Universal Design Awards based on seven key criteria:-

1	Connectivity	15%
2	Accessibility	10%
3	User-Friendliness	40%
4	Safety	15%
5	Integrated Design	10%
6	Operations & Maintenance	10%
7	BONUS for Innovation and Enhancement	25%

Under the Universal Design Awards assessment system, points are awarded for incorporating Universal Design features, which are over and above Code-compliance and the normal practice. The total number of points obtained provides an indication of the inclusiveness of the building design. Buildings are awarded **Gold, Silver or Bronze rating** depending on the points scored.



All entries are grouped into one of the following six building categories:

- 1. Commercial/Mixed Use/Industrial Buildings
- 2. Institutional Buildings
- 3. Residential Buildings
- 4. Open Category
- 5. Outdoor Spaces & Structures
- 6. Refurbished Buildings

Assessment committee

All entries will be judged by an Assessment Committee comprising senior representatives from the following organizations and professionals in their own capacity:

Building and Construction Authority
Singapore Institute of Architects
Handicap Welfare Association
Singapore Association of Occupational Therapists
National University of Singapore
Real Estate Developers' Association of Singapore

Applications and assessment process

Developers, building owners and government agencies are to submit an <u>entry form</u> to BCA to register their interest in participating in the BCA Universal Design Awards. Alternatively, applicants can log on to our new Friendly Built Environment Portal <u>www.friendlybuildings.sg</u> and submit the application through e-Entry. All submission requirements including the A3- sized report (max 15 pages), Universal Design Awards Accessibility Checklist and VCD/DVD with clear sharp digital images at 300 dpi resolution, are to reach BCA by <u>1700hrs</u>, 30 December 2010.

The assessors will evaluate all entries and shortlist them for site visits. The short-listed entrants will be required to make a presentation to the assessors on the outstanding and innovative Universal Design qualities of the submitted projects prior the walk-around conducted by the entrants.

For any clarifications on the BCA Universal Design Awards, please email BCA Universal Design Awards Secretariat at bca_bfa_upgrading@bca.gov.sg.

ASSESSMENT CRITERIA FOR BCA UNIVERSAL DESIGN AWARDS

Description

Part 1 : Connectivity (15 points)

The degree to which the development is designed in a holistic manner to allow for seamless and sheltered connection to public transport nodes, streets, sidewalks and adjacent buildings etc and seamless movement within the buildings with provisions such as wide circulation paths and doorways and access to all levels of building by ramps and/ accessible lifts and/ ambulant friendly stairs.

Part 2: Accessibility (10 points)

The availability and convenience of provisions such as safe and sheltered accessible alighting and boarding points, conspicuous accessible parking lots located near main or lift lobbies. Accessible entrances with auto doors or a step less entry

Part 3: User-Friendliness (40 points)

The availability and convenience of Family friendly facilities like family room, seats and child-friendly sanitary facilities and other amenities such as accessible information counter, friendly drinking fountain, vending machine, friendly multimedia kiosk, ATM, WiFi access, friendly directory, electric carts, AED (automated external defibrillator), PA system with induction loop. The provision of signage and way finding cues such as audible information, tactile directional indicators and color or visual themes at main circulation spaces & leading to public transport nodes and UD facilities; and the degree to which the design of signage and way-finding cues are easy to read, understand and intuitive regardless of the user's experience, knowledge, language skills or current concentration level.

Part 4 : Safety (15 points)

The degree to which walking surfaces are made safe and secure with attention to details such as choice of materials, design without gratings, free of obstacles and dangerous overhangs, provision of adequate lighting and handrails/ trailing bars, contrasting colour and design clearly distinguishing floors and walls, stairs and landings and provision of tactile warning indicators near edge of potential hazardous areas.

Part 5: Integrated Design (10 points)

The demonstration of total design approach for targeted user groups in the layout design and the integration of tastefully-designed and equitable use facilities and features with the overall architecture and interior design of the building.

Part 6: Operations & Maintenance (10 points)

The degree to which the organization is committed to creating and maintaining an inclusive built environment through the establishment of corporate policy which is clearly communicated to employees, mandating regular inspections to ensure good working condition of facilities, equipping employees in Universal Design through training, and providing avenues for users to give feedback and authority for employees to render assistance to feedback givers.

GRAND TOTAL FOR PARTS 1-6 = 100 points

Part 7: BONUS for Innovation and Enhancement (25 points)

The provision of other new or innovative aging-in-place, pro-family and or employee-friendly UD facilities or features and accessible escape routes and systems for the physically challenged, such as Braille on stairs railings, rental of wheelchair, pram, accessibility scooters, etc. Designing with the provision for the flexibility to allow for future modifications. The commitment and efforts of refurbished building owners in overcoming the challenges of existing constraints.

TOTAL FOR PART 7 = 25 POINTS

Refer to Accessibility checklist for more details.



BCA UNIVERSAL DESIGN AWARDS FOR BUILT ENVIRONMENT 2011 ENTRY FORM

Project Entry No.

				(101 Official use)							
Entry	Submission E	etalis .									
Nlaun	on of Drainot	_									
Ivar	ne of Project	·	_								
TOI	P/CSC Date	!	_								
Entry	Category										
			tegor	y you are participating	g in.						
Coi	mmercial/ Mixed	•		Institutional Buildings		Residential Buildings					
	Industrial Buildi	ngs									
	Hotel			Hospital Sabasi				ondomi OB Flats			
	Shopping Centre	9][School							
	Cinema			Library		Ц		wn Hou			
Ш	Theatre			Museum		Ш	De	etache	d/ Ser	ni-Ds*	
	Offices			Places of Worship			Tei	rrace H	louse		
	Market &/ Food	Centre*		Others, Pls specify			Se	rvice A	partm	nent	
П	Factory/ Business	s Park*					Ot	hers, Pl	is spec	cify	
	•						_			,	
	Others, Pls specif	Y									
	Open Catego	ry	Ou	tdoor Spaces & Structu	ıres		Refu	rbishe	d Buil	dings	
	MRT station			Public/ Neighborhood				uildings			that
		·	l —	Parks*				ave und			Hana
	Bus Interchange,	/ Ierminal*		Park Connector				dditions nd upg			lions
	Sports Complex			Promenade				niversal			ures
	Swimming Comp	olex		Plaza			a.		400.9		ai oo
Ιп	Places of Interest			Public, private and HDE	3						
			I_{\Box}	open spaces							
╽╙	Stadium			Others, Pls specify							
	Club/ Resorts*										
	Theatre/ Amphit	neatre/									
	Performance Ha										

Others, Pls specify

^{*}delete accordingly



Project Team Information

Qualified Person(s))		
Company name	:		
Qualified Person	:		
Address	:		
Telephone	:	Mobile:	Fax:
Email	:		
Associate Designe	er(s) (if applicable)		
Company name	:		
Address	:		
Telephone	:	Mobile:	Fax:
Email	:		
Owner/ Develope	er Information		
☐ Check here	e if owner is the dev	eloper	
Company name	:		
Address	:		
Telephone	:	Mobile:	Fax:
Email	:		
Managing Agent	Information (if ap	pplicable)	
Company name	:		
Address	:		_
Telephone	:	Mobile:	Fax:
Email	:		



Submission of Materials

A. Description of the Development and UD Facilities

- 1. A written description of 300-500 words of the development and the Universal Design (UD) facilities and features.
- 2. Photographs and drawings illustrating the development and the UD facilities and features should be submitted in A3- sized report (max 15 pages).
- 3. Information on the A3- sized report must include annotated drawings such as site plan at not less than 1:2000 scale and any other plans, sections, perspectives, photographs and axonometric drawings to illustrate:
 - a. Access Route Plans from amenities to the development
 - b. Circulation paths and doorways with sizes clearly annotated
 - c. Family-friendly Facilities and Amenities
 - d. Signage and way-finding cues
 - e. Safety and Emergency evacuation provisions
- 4. Drawings shall clearly articulate the overall design intent and highlight any unique or innovative UD solutions or ideas, if applicable.

B. Description of Corporate Philosophy

- 1. A written description of 300-500 words on the corporate philosophy in creating a built environment that is accessible and friendly to all users.
- The description shall substantiate the corporate philosophy by highlighting details such as procedures to ensure regular inspection, testing and maintenance of facilities, staff training on UD and avenues for the public to give feedback on the facilities provided.

C. Universal Design Awards Accessibility Checklist

1. Please fill up the Universal Design Awards Accessibility Checklist as attached in Annex A, as part of the submission.

Note: A VCD/DVD containing presentation slides (in ppt format) of the above items (A, B & C) must accompany each entry. The picture files shall be at least 300 dpi resolutions. Project Title and Entrant's name must be clearly labeled on the VCD/DVD and VCD/DVD cover. Alternatively, the slides can be submitted online.



Submission Guidelines & Instructions

Eligibility

- 1. The Competition is open to all owners, developers and professionals in creating an inclusive built- environment that could be used by all people. There is no restriction on the number of entries that each individual, firm or team can submit.
- 2. The development must have obtained Temporary Occupation Permit/ Certificate of Statutory Completion and be occupied at the time of submission of entry to be deemed qualified for assessment.
- 3. BCA reserves the right to disqualify any participating individual/firm/team.

Assessment of Entries

The assessors will evaluate all entries and shortlist them for site visit. The short-listed entrants will be required to make a presentation to the assessors on the outstanding and innovative Universal Design qualities of the projects prior the walk-around.

Submission Deadline

 All entry forms must be duly completed and signed. The forms, A3- sized reports, Universal Design Awards Accessibility Checklist and VCD/DVD are to be submitted in a sealed envelope with the words "BCA Universal Design Awards" clearly written on the envelope, attention to BCA Universal Design Awards Secretariat at the following address:

Building and Construction Authority 5 Maxwell Road #07-00 Tower Block MND Complex Singapore 069110

- 2. All entries must be received by 1700hrs, 30th December 2010.
- 3. No new or additional information will be accepted by BCA or considered by the Committee after the deadline.
- 4. Any non-compliant submission will not be accepted.
- 5. Any queries on the awards should be emailed to bca bfa upgrading@bca.gov.sg

Intellectual Property Rights

 BCA shall have the rights to make editorial changes, publish, display, reproduce or otherwise publicize or communicate all entries submitted in any forms during the assessment, exhibition and for promotional, educational or record purposes. Such rights shall be exercisable by BCA without any payment, charge or fee whatsoever to any person.

2. Winning entries become part of BCA's permanent collection. BCA reserves the right to retain for display and or dispose of any entries after the award winners have been announced. No entries will be returned to participants.

Committee's Decision

The decision of the Assessment Committee shall be final and the Committee has absolute discretion to make or withhold an award. The Committee may also recategorize any entry, which in their opinion, has been entered in the wrong category.

Declaration of Entrant

I declare that I am authorized by the owner/developer/company* to submit entries for BCA Universal Design Awards for Built Environment 2011. I have read and accepted the entry criteria, guidelines and instructions. I hereby agree to abide by these criteria, guidelines and instructions and certify that all information that I have submitted is correct and true.

Name	:
NRIC No.	:
Signature	:
Company name and stamp	:
Address	:
Telephone	:
Mobile	:
Fax no.	:
Email address	:
Date	:
*delete accordingly	

Universal Design Award (UDA) Accessibility Checklist 2011



Da	te obtained TOP/CSC:				
Ho	w to complete the checklist		Full	Beyond	Full
(Thi	s checklist will take about 5 to 10 minutes) Please select the appropriate box(es) for each tria that are applicable to your building(s) or development(s).	Compliance		Compliance	
1	ACCESSIBLE EXTERNAL ROUTES				
-		At least one	П	All	П
	development) is stable, firm, level, slip-resistant & of not less than 1200mm width.				_
	From which type of facilities?				
	☐ Public street ☐ Taxi shelter ☐ Parks or park connectors ☐ Traffic junction ☐ Bus shelter ☐ Other buildings or developed				
	Overhead bridge Bus terminal	prinerits			
	☐ Underpass ☐ Train station				
2	ACCESSIBLE PARKING LOTS (within building or has nearby external accessible volume of the company	ehicle parks)			
	Number of provision is according to the minimum requirements of current code.				_
	Number of provision is beyond to the minimum requirements of current code.				님
	Designated pedestrian and walkways and crossings leading to the accessible lobbies ar Near to access points such as lift lobbies, staircases, ramps, etc.	e provided.		At least one	H
	Tvear to access points sacri as introbbies, standases, ramps, etc.			All	Ħ
3	ENTRANCES				
		At least one		All	
	accessible from other entrances. (E.g. by vehicular access,				
	through train stations, or from other buildings or developments, etc.).				
	With automated doors.			At least one	П
				All	
	Stepless entry.			At least one	
	AGGEOGIBLE TOURTO			All	Ш
4	At least one unique individual weeksom or water closest compartment in both male and the	iomala			
	At least one unisex individual washroom or water closet compartment in both male and toilets for wheelchair users is provided at all levels (for building) or at least one is provided.		Ш		
	cluster of toilets within the same level.	54 m 676. y			
	Toilet provided with family-friendly facilities and features.			At least one	
	Which type of family-friendly facilities and features?			In all toilets	
	☐ Urinal for children At which level? ☐ Child-sized water closet At which level?				
	Compartment for ambulant disabled At which level?				
	☐ Diaper-changing station At which level?				
	☐ Toddler seat within compartment At which level?				
_	Others, please specify:				
5	ACCESSIBLE ROUTES, CORRIDORS and PATHS All accessible routes, corridors and paths are: not less th	an 1200mm		> 1200mm	
	Ramps and landings are of contrasting colours when provided.	aii 1200iiiii	H	> 120011111	Ш
6	RAMPS				
	All ramps have a gradient of 1:12 or gentler.				
	All ramps and landings are of contrasting colours, coloured bands or tactile warning strip	s at top,			
	bottom & immediate landings with surrounding flooring material.				
	All ramps have a width of not less than 1200mm. All ramps with handrails provided at both sides of the ramps.		H		
	All ramps with handrails at a height of between 800mm and 900mm above floor level.		Ħ		
	All ramps with handrails extensions of not less than 300mm beyond top & bottom of ram	ps.			
	Building or development is designed without the need for ramps.				
	All ramps with handrails for children.				
7	STAIRCASES (except for fire escape staircases) All staircases have uniform risers and treads.				
	All staircases have nosing strips and treads of contrasting colours.		H		
	All staircases have handrails provided at both sides of the staircases.		Ħ		
	All staircases have handrails placed at a height of between 800mm & 900mm above floor	or level.			
	All staircases have handrails extensions not less than 300mm beyond top & bottom of st	aircases.			
	Buildings or developments are designed without the need for staircases or steps (E.g. for				님
	All staircases have a minimum of three risers and provided landings after every sixteen all staircases have handrails for children.	isers.			H
	All staircases have Braille markings on the horizontal extended handrails.				

8	ILLUMINATION
	Areas are provided with adequate illumination level complying with the current SS 531.
_	All remote areas & key features (E.g. Words in signages) with higher illumination levels to enhance visibility.
9	SIGNAGES
	Contents of every signage are short and easy to understand.
	Characters and graphics of every signage are of contrasting colours with the background within the signage.
	All signages have clear and simple symbols or words with colour distinction.
	The minimum level of illumination on all the signs is 200 lux.
	Signages are strategically located.
	(Directional Signs at points where there is a change of direction & Service Identification Signs at accessible facilities)
10	AMENITIES and/or FACILITIES
	Where amenities and/or facilities are provided according to the intended use of the building or
	development, at least one of each amenity and/or facility is made accessible to wheelchair users.
	(including those with only one of the same amenity and/or facility)
	All amenities and/or facilities provided are accessible to intended user groups & are strategically located. Which type of accessible amenities and/or facilities provided?
	ATM machines Book-drops in libraries AXS, SAM or multimedia kiosks
	☐ Public telephone ☐ Drinking fountains ☐ Bathroom in residential unit
	☐ Vending machines ☐ Information counters ☐ Lockers in sports complexes, schools, etc.
	☐ Electric carts ☐ Prams/wheelchair rentals ☐ Automated External Defibrillator (AED)
	Information counters
	PA System with induction loop & enhanced sound system
	 Service counters in banks or ticketing offices Individual shower stall in sports complexes and public swimming pools
	Checkout lane and counter in departmental stores or supermarkets
	Guestrooms in hotels (at least one in every 200 guestrooms)
	Wheelchair parking spaces in places of public resort. (At least two in every the first 200 seats or less)
	Rooms in hostels, halls of residence or dormitories (at least one in every 100 rooms)
	Fixed seating in eating outlets (at least one table for every 10 tables)
	Others, please specify:
11	TRANSPORTATION FACILITIES
	All transportation facilities within the building or development are made accessible.
	All transportation facilities are sheltered or have covered linkways.
	Types of transportation facilities? Alighting and boarding point Separate drop offs for taxis and alighting point, or separate
	Taxi shelter route for separate traffic considerations
	Integrated with train station, bus stop or terminal
12	PASSENGER LIFTS
	Passenger lifts are made accessible to persons with sensory impairments, At least one All
	ambulant disabled and wheelchair user from one level to another.
	Lift provided with non-breakable mirrors in the lift interior to allow visual feedback for wheelchair users
13	FAMILY PARKING LOTS
	Provided. Only one
14	SEATING FACILITIES More than one
14	Provided according to the intended use of the building or development. Provided in every 30m or less.
	Seatings are strategically located (E.g. lift lobbies, children play areas, etc.).
	Provided at taxi stands.
15	FAMILY ROOMS (Includes a diaper changing room/station and/or a nursing room)
	Provided.
	☐ Only at one level ☐ At some levels ☐ At all levels
16	CHILDREN PLAY AREAS
	Provided
4=	☐ Only at one level ☐ At some levels ☐ At all levels
17	FIRST AID ROOMS
	Provided.
ININ	Only at one level At some levels At all levels
INN	OVATIVE FEATURES (Please attach list if applicable)
INT	ENDED USER GROUPS - Accessible/Useable by?
	Family with young children Blind or partially visually impaired persons Ambulant disabled
	Hearing impaired persons

^{*} Points will be deducted for non-compliant and substandard provisions.