SINGAPORE CIVIL DEFENCE FORCE FIRE SAFETY & SHELTER DEPARTMENT

HQ Singapore Civil Defence Force 91 Ubi Ave 4 Singaore 408827 Fax: 6848 1488

Website: http://:www.scdf.gov.sg



Please quote our ref. no . in all future correspondences

Our Ref: CD/FSSD/12/01/03/04 DID: 68481409

FAX: 68481493

11 January 2005

Registrar, Board of Architects (BOA)

Registrar, Professional Engineers Board (PEB)

President, Singapore Institute of Architects (SIA)

President, Institution of Engineers, Singapore (IES)

President, Association of Consulting Engineers, Singapore (ACES)

Dear Sir/Madam

INSTALLATION OF SELF-EXTINGUISHING SYSTEM IN KITCHEN COOKER HOOD

Arising from the FSSD Standing Committee meeting on 8 Nov 2004, we would like to clarify that plan submission to SCDF for the above is required, even if its installation is over and above the fire code's requirement. For that matter, all plans for any fire safety works, irrespective of they being required under the Fire Code, would have to be submitted to SCDF for approval.

- 2. Please convey the contents of this circular to members of your Institution/Association/Board. The circular is also available in CORENET-einfo: http://www.corenet.gov.sg\einfo.
- 3. For any inquiry or clarification, please contact the undersigned at tel no: 68481409.

Yours faithfully

Teo Lim Teck Secretary, FSSD Standing Committee for Commissioner Singapore Civil Defence Force



SINGAPORE CIVIL DEFENCE FORCE FIRE SAFETY & SHELTER DEPARTMENT

HQ Singapore Civil Defence Force 91 Ubi Ave 4 Singaore 408827 Fax : 6848 1488



Website: http://:www.scdf.gov.sg

Please quote our ref. no . in all future correspondences

cc

All members of FSSD Standing Committee All members of Fire Code Review Committee President, REDAS President, IFE President, SISV CEO, BCA CEO, URA CEO, HDB

Group President, PSA Corp CEO, JTC

CE, LTA - (Attn: Dr. Chin Kian Keong)

CE, PSB Corp (Attn: Mr. Lau Keong Ong / Ms Tan Chiew Wan)

GM, SPRING Singapore – (Attn: Mr Teo Nam Kuan)

CD/FSSD/12/01/03/02

