

13 August 2007

Your ref: LTA/DBC/R70.018.026

Our ref:

DID: 6332 8283

See Distribution List

Dear Sir,

**LTA'S REQUIREMENTS ON ESCALATORS FOR PEDESTRIAN OVERHEAD BRIDGES (POB) AND PEDESTRIAN UNDERPASSES (PUP)**

1 As part of our effort to constantly promote awareness of LTA's requirements to the industry, we would like to share the following essential information on the design requirement of escalators for pedestrian overhead bridges (POB) and pedestrian underpasses (PUP).

2 Please be informed that the rated speed of POB/PUP escalators shall be 0.5m/s. For those POB/PUP escalators that serve the rapid transit stations, the rated speed shall be 0.75m/s.

3 The abovementioned requirements are stipulated in Section 3.7 of the LTA's Architectural Design Criteria revision A6. In addition, such escalators shall comply with the requirements for public service escalators as stipulated in SS CP 15.

4 We take this opportunity to highlight to respective professionals that the guidelines on POB/PUP design can be found in the LTA Website under Regulations > Other Guidelines, Standards and Circulars > Architectural Design Criteria.

5 We would also appreciate it very much if you could advise the professionals to obtain approvals from the relevant technical agencies for the design of POB/PUP before the commencement of works on site.

6 Please disseminate the contents of this circular to all members of your respective organisation/ institutions. If you have query, please feel free to contact Mr Mohd Iskandar at tel: 6332 8280 or Mr Cher Chee Ping at tel: 6295 7940.

Yours faithfully



QUEK TECK BENG  
DEPUTY DIRECTOR (DESIGNATE)  
DEVELOPMENT & BUILDING CONTROL

Distribution List

President  
Singapore Institute of Architects  
79/79A/79B Neil Road  
Singapore 088904

President  
Institution of Engineers, Singapore  
70 Bukit Tinggi Road  
Singapore 289758

President  
Association of Consulting Engineers Singapore  
70 Palmer Road  
#04-06 Palmer House  
Singapore 079427

Director  
Development Control Division  
Urban Redevelopment Authority  
45 Maxwell Road  
The URA Centre  
Singapore 069118

Director  
National Parks Board  
1 Cluny Road  
Singapore 259569

Director  
Building and Construction Authority  
5 Maxwell Road #02-01  
Tower Block MND Complex  
Singapore 069110

bcc

DDRIM

DDME