

Our ref: APPBCA-2023-05

Building Plan & Management Group
Building Plan & Universal Design
Department
Tel : 1800 3425222
Fax : 63344031

1 March 2023

See **Distribution List**

Dear Sir/Madam

BASIC ACCESSIBILITY IN EXISTING NON-BARRIER-FREE BUILDINGS

Objective

- 1 This circular is to inform all building owners and Qualified Persons of the requirement to provide at least basic accessibility in existing non-barrier-free buildings¹.

Background

- 2 In March 2020, the Building Control Act has been amended, whereby owners of existing non-barrier-free buildings may be required to provide at least basic accessibility features for Persons with Disabilities (“**basic accessibility requirement**”), if owners carry out addition and alteration (“A&A”) works requiring plan approval in any part of the non-barrier-free buildings.
- 3 The basic accessibility features include:
 - (i) a wheelchair accessible entrance;
 - (ii) a wheelchair accessible route at the entrance level; and
 - (iii) a wheelchair accessible toilet.

¹ Buildings that are not accessible by wheelchair users and without wheelchair-friendly facilities and further described in paragraph 4 below.

For ease of reference, please refer to the illustration in Annex A and Frequently Asked Questions in Annex B.

Requirement

- 4 The basic accessibility requirement applies to existing non-barrier free buildings:
 - (i) except those which are used solely for residential purposes or as factories;
 - (ii) that have gross floor area of more than 500m²; and
 - (iii) that are accessible by the public
- 5 To help architects, designers and building owners in understanding the process, key considerations and solutions to comply with basic accessibility requirements, BCA has also released a booklet with explanatory notes and illustrations, which can be downloaded from our website (<https://go.gov.sg/bcaud-basiclegis>).

Implementation Date

- 6 The basic accessibility requirement will come into force from 1 June 2023. Building owners of existing non-barrier-free buildings should include the basic accessibility works when they submit plans of their proposed A&A works for approval. Should the basic accessibility requirement not be met, a Notice To Provide Basic Accessibility Features for mandatory basic accessibility upgrading will be issued to the building owner to comply with the requirement.
- 7 Failure to comply with the Notice without proper justification or reason is an offence under the Building Control Act. The owner is liable on conviction to a fine not exceeding \$5,000 or to imprisonment for a term not exceeding 3 months or to both, and to a further fine not exceeding \$250 for each day or part thereof the owner fails to comply with the Notice.

An MND Statutory Board

For clarification

- 8 I would appreciate if you could convey the contents of this circular to members of your organization. For clarification, please email to BCA_UD@bca.gov.sg or call 1800 3425222.


Yours faithfully



TAN JWU YIH
DIRECTOR
BUILDING PLAN AND UNIVERSAL DESIGN DEPARTMENT
BUILDING PLAN AND MANAGEMENT GROUP
for COMMISSIONER OF BUILDING CONTROL

BASIC ACCESSIBILITY FEATURES

Example: If A&A works are carried out at upper level, basic accessibility features have to be provided at the entrance level (typically first storey).



FREQUENTLY ASKED QUESTIONS

Q1: How do I comply with basic accessibility if there is no lift in the existing non-barrier-free building?

A: A wheelchair accessible entrance, wheelchair accessible route to common facilities and a wheelchair accessible toilet should be provided to achieve basic accessibility at the entrance level (typically first storey).

Q2: In the above scenario, what happens if there is no common toilet at the entrance level for upgrading to provide basic accessibility?

A: For existing buildings without a lift and common toilet, building owner/QP shall study the feasibility of adding a wheelchair accessible toilet for common use at the entrance level (typically first storey).

Q3: Can I provide the wheelchair accessible toilet at another level, which is neither the entrance level nor the area of A&A work?

A: Yes, provided if it is a common toilet and along a wheelchair accessible route.

Q4: Where do I provide the wheelchair accessible toilet, if there is no common toilet in the existing non-barrier-free building?

A: For existing buildings with a lift but no common toilet, the wheelchair accessible toilet shall be provided within the individual unit as part of the A&A works (e.g. within the unit or tenanted unit with own attached toilet), since it is not feasible to provide a common wheelchair accessible toilet.

Q5: Do I need to comply with basic accessibility if the site is not accessible (e.g. level differences or steps leading to site) in the first place?

A: The building owner/QP should study the overall site accessibility and explore the feasibility of providing accessibility via other side entrances.

Q6: Are all existing non-barrier-free buildings with GFA of 500m² or less exempted from the requirements in the Accessibility Code?

A: While owners of existing non-barrier-free buildings with GFA of 500m² or less are not subject to the basic accessibility requirement, they still need to comply with the relevant requirements of the Accessibility Code, when they apply for plan approval for erection of a new building or A&A works.

An MND Statutory Board

DISTRIBUTION (via e-mail):

President
Singapore Institute of Architects (SIA)
79 Neil Road
Singapore 088904

President
Association of Consulting Engineers, Singapore (ACES)
18 Sin Ming Lane #06-01
Midview City
Singapore 573960

President
Institution of Engineers, Singapore (IES)
70, Bukit Tinggi Road
Singapore 289758

President
Real Estate Developers' Association of Singapore (REDAS)
190 Clemenceau Avenue
#07-01 Singapore Shopping Centre
Singapore 239924

President
Singapore Contractors Association Limited (SCAL)
Construction House
1 Bukit Merah Lane 2
Singapore 159760

President
Singapore Green Building Council (SGBC)
200 Braddell Road
Block H, Level 2 BCA Braddell Campus
Singapore 579700

President
Singapore Institute of Building Limited (SIBL)
9 Ah Hood Road
#02-04
Singapore 329975

An MND Statutory Board

President
Singapore Institute of Surveyors & Valuers (SISV)
110 Middle Road
#09-00, Chiat Hong Building
Singapore 188968

President
Association of Property and Facility Managers (APFM)
110 Middle Road
#9-00 Chiat Hong Building
Singapore 188968

President
Singapore International Facility Management Association (SIFMA)
200 Braddell Road
#01-03 Block H
BCA Braddell Campus
Singapore 579700

President
Association of Strata Managers (ASM)
1 Scotts Road
#24-05, Shaw Centre
Singapore 228208

President
Society of Project Managers (SPM)
Macpherson Road P.O. Box 1083
Singapore 913412

President
Board of Architects (BOA)
5 Maxwell Road
1st Storey Tower Block, MND Complex,
Singapore 069110

President
Professional Engineers Board, Singapore (PEB)
52 Jurong Gateway Road
#07-03
Singapore 608550

An MND Statutory Board

President
Singapore Lift & Escalator Contractors & Manufacturers Association (SLECMA)
3 Raffles Place #06-01
Bharat Building
Singapore 048617

President
Singapore Hotel Association
17 Cantonment Road
Singapore 089740

President
Singapore Association for Private Education (SAPE)
6 Raffles Boulevard
Marina Square #03-200
Singapore 039594

Chief Executive Officer
Urban Redevelopment Authority (URA)
45 Maxwell Road
The URA Centre
Singapore 069118

Deputy Chief Executive
Infrastructure & Development
Land Transport Authority (LTA)
1 Hampshire Road Block 8 Level 1
Singapore 219428

Deputy Chief Executive Officer (Building)
Housing & Development Board (HDB)
480 Lorong 6 Toa Payoh
HDB Hub
Singapore 310480

Deputy Chief Executive Officer
Sentosa Development Corporation (SDC)
33 Allanbrooke Road, Sentosa
Singapore 099981

An MND Statutory Board

Assistant Chief Executive
Policy & Planning Group
Singapore Tourism Board (STB)
1 Orchard Spring Lane
Tourism Court
Singapore 247729

Group Director
Policy and Planning Division
National Parks Board (NPARKS)
Singapore Botanic Gardens
1 Cluny Road
Singapore 259569

Director
Fire Safety & Shelter Department
Singapore Civil Defence Force (SCDF)
HQ Singapore Civil Defence Force
91 Ubi Avenue 4
Singapore 408827

Director
Building and Infrastructure
Defence Science & Technology Agency (DSTA)
1 Depot Road
Defence Technology Tower A
Singapore 109679

Director of Infrastructure
School Campus Department
Ministry of Education (MOE)
1 North Buona Vista Drive
Office Tower Level 9
Singapore 138675

Director
Centralised Service Department, Building Plan
Public Utilities Board (PUB)
40 Scotts Road
Environment Building
Singapore 228231

An MND Statutory Board

Chief Engineer
Development Control Department
National Environment Agency (NEA)
40 Scotts Road
Environment Building
Singapore 228231

Director
Leasing Division
Singapore Land Authority (SLA)
55 Newton Road
#12-01 Revenue House
Singapore 307987

Director
Technical Services Division
JTC Corporation (JTC)
8 Jurong Town Hall Road
The JTC Summit
Singapore 609434

Director
Building & Estates Management
People's Association (PA)
9 King George's Avenue
Singapore 208581

Chief
Sport Infrastructure Group
Sport Singapore (SportsSG)
3 Stadium Drive
Singapore 397630

All CORENET e-Info subscribers